Listing of All Claims Including Current Amendments

(currently amended) An endoscope insertion shaft comprising:

a tubular member including a continuous wall to form a closed interior, said tubular member having an axis and said continuous wall including at least one aperture for increasing the flexibility thereof; and

a sheath comprising at least the following lavers:

a braided layer;

a laminating layer;

a wear laver:

wherein the braided layer jackets the continuous wall of said tubular member; and

a barrier layer comprising a polyester wrap is disposed between the continuous wall of said tubular member and the braided layer and jackets the tubular member to form a seal therebetween along the length of the tubular member.

- 2. (original) The endoscope insertion shaft as set forth in Claim 1 wherein the at least one aperture comprises a pattern of apertures.
- (original) The endoscope insertion shaft as set forth in Claim 2 wherein the pattern of apertures comprises a first set of apertures positioned along a line parallel to the axis of the tubular member.
- 4. (original) The endoscope insertion shaft as set forth in Claim 3 wherein the first set of apertures comprises at least one elongated aperture having an axis oriented at an angle to the axis of the tubular member.

- 5. (original) The endoscope insertion shaft as set forth in Claim 4 wherein the angle is in the range from zero to ninety degrees.
- (original) The endoscope insertion shaft as set forth in Claim 2 wherein the pattern of apertures comprises a pair of apertures.
- (original) The endoscope insertion shaft as set forth in Claim 2 wherein the apertures are circumferentially positioned on the tubular member.
- 8.-9. (cancelled)
- (previously presented) The endoscope as set forth in Claim 1 wherein the laminating layer jackets the braided layer.
- 11. (original) The endoscope as set forth in Claim 10 wherein the wear layer jackets the laminating layer.
- 12. (original) The endoscope as set forth in Claim 1 wherein the sheath comprises a composite material.
- 13. (currently amended) An endoscope insertion shaft comprising:
- a tubular member including a continuous wall to form a closed interior, said tubular member having an axis and including at least one aperture for increasing the flexibility thereof:
- a barrier layer jacketing the tubular member to form a seal <u>extending along the</u> length of said tubular member around said continuous wall of said tubular member;
 - a braided layer jacketing the barrier layer;
 - a laminating laver:
 - a wear laver:

Serial No. 10/766,295 Response to Official Action Page 4

wherein at least said barrier layer, said braided layer and said laminating layer are formed as a single composite structure.

14.-15. (cancelled)